

UV-Wash

Roller and blanket wash for presses equipped with UV units

Product Usage

Automatic or manual roller and blanket wash

Product Features

- UV Wash has low toxic, low swell roller and blanket cleaner especially designed for UV inks.
- UV Wash has unique anti-corrosion additives and is water miscible to remove glaze and piling. It has a very low swell advantage on EPDM compounds.
- UV Wash should not be confused with competitive UV washes on the market which attack the rubber surfaces causing swell on rollers and delamination of blankets.
- UV Wash should NOT be used for oil-based inks.

Advantages UV Wash

- Specially formulated for UV inks.
- Low swell on EPDM compounds.
- Environmentally friendly.
- Low odour.
- High flashpoint (>80°C) AIII.
- Water miscible.

Features	Advantages	Benefits
<ul style="list-style-type: none"> • Specially formulated for UV inks. 	<ul style="list-style-type: none"> • Superior performance on UV presses. 	<ul style="list-style-type: none"> • Ease of application.
<ul style="list-style-type: none"> • Water miscible. 	<ul style="list-style-type: none"> • Easily removes both water soluble and solvent soluble glaze, blanket piling and lint. 	<ul style="list-style-type: none"> • One application removes all debris.
<ul style="list-style-type: none"> • Low odour. 	<ul style="list-style-type: none"> • User friendly. 	<ul style="list-style-type: none"> • Pleasant working environment.
<ul style="list-style-type: none"> • Low rubber swell. 	<ul style="list-style-type: none"> • Extends roller & blanket life. 	<ul style="list-style-type: none"> • Cost effective.

Application

Blankets: Mix with up to 10% water or apply to a dampened wash-up cloth to remove both water soluble and solvent soluble glaze, blanket piling and lint.

Rollers: Use neat or mix with up to 10% water to remove gum glaze, paper fibres and lint.

Do not use on unbaked positive plates.

Follow relevant Good Manufacturing Practice (GMP) guidelines if used for the production of food packaging.

Flashpoint

>80°C (AIII).

storage and Shelf Life

Store in a cool and dry place

Expire time: 12 months from the date of production

Packaging

10/20 liter cans, 200 liter drums,
1.000 liter IBC

Delta Chemicals

15(A), 6 St.- ELMaadi – cairo

Tel. : (+202) 238 09 702 -237 877 97 / Fax : (+202) 237 877 96